

# MARMO

12"x12" Mosaic

24"x48"

48"x110"

INSPIRATION  
CONCRETE





# MARMO THASSOS

COLLECTION  
white  
black


◀ VISUALIZATIONS

# MARMO THASSOS 12"x 12" mosaic | 24"x 48" | 48"x 110"

48"x110"



24"x48"



0.31"  
24

12"x12" mosaic



0.31"



## Specification

Technology	Color body
Type of product	Wall tiles, Floor tiles
Application	Bathroom, Kitchen, Living room, Terrace and balcony

- wall tile
- floor tile
- frost resistant
- rectified
- porcelain tile
- matt surface
- Polished finish



# MARMO MOROCCO COLLECTION

white  
black

—  
◀ VISUALIZATIONS

# MARMO MOROCCO

12" x 12" mosaic | 24" x 48" | 48" x 110"




48" x 110"



0.24"  
4

24" x 48"



0.31"  
24

12" x 12" mosaic



0.31"

## Specification


Technology	Color body
Type of product	Wall tiles, Floor tiles
Application	Bathroom, Kitchen, Living room, Terrace and balcony

- wall tile
- floor tile
- frost resistant
- rectified
- porcelain tile
- matt surface
- Polished finish


# MARMO SERIES



MARMO Porcelain Series



thassos



morroco

Stocked Size
12"x12" Mosaic
24"x48" Matt
24"x48" Pol
48"x110" Pol
48"x110" Matt

# MARMO SERIES

\*All sizes are rectified, coloured body porcelain tiles

\*\*Sizes available



2" x 2"



24" x 48"



48" x 110"

	297x297x8mm 12"x12" mosaic Matt	597x1197x8mm 24"x48" Matt	597x1197x8mm 24"x48" Pol	1197x797x6mm 48"x110" Pol	1197x797x6mm 48"x110" Matt
Thassos (White)	CX-MOT1F2	CX-MOT1D2	CX-MOT1D1	CX-MOT1G1	CX-MOT1G2
Morroco (Black)	CX-MOT2F2	CX-MOT2D2	CX-MOT2D1	CX-MOT2G1	CX-MOT2G2
Packaging/box	5 pcs	2 pcs	2 pcs	1pc	1 pc
Weight/box	8.4kg	27.7kg	27.7kg	49.5kg	49.5kg

\*\*\* Picture of Marmo Morroco 24"x48" Matt on floor.



Water Absorption % ISO 10545-3	Breaking Strength ISO 10545-4	Abrasion Resistance ISO 10545-7	Slip Resistance	Frost Resistance ISO 10545-12	Country of Origin	Crazing Resistance ISO 10545-11
<0.1	8mm, >2000 6mm, >1300	White 5/12000 Black 3/1500	DCOF 0.58 Mat Finish	Resistant	Poland	Resistant
Number of Faces	Thickness	Rectified Tile	Resistance to Staining ISO 10545-14	Surface Application	Application	Environment
24"x48" - 24 48"x110" - 4	5/16" or 8mm 1/4" or 6mm	Yes	4	Walls Floors	Indoor Outdoor	Residential Light Commercial

All images are for reference only and may not match physical product exactly. All sizing is nominal and all product specifications are supplied by the manufacturer and are subject to change by the manufacturer without notice to you. We make no representations or warranties as to the specifications of any product. Shading and variation is inherent in ceramics and natural stone. Please inspect before installing, no claims accepted after installation. Prices are subject to change without notice;